



Jan. 1, 2025 Premium Formulary Exclusions & Preferred Specialty Prior Authorization Requirements

HPGOO

| Therapeutic Category/ Disease State | Excluded Medications | | Formulary Alternative Medications |
|--|----------------------|---|---|
| ANALGESICS | | | |
| Non-Steroidal Anti-Inflammatory Agents | Oral | Coxanto, Oxaprozin 300mg (M) | celecoxib, diclofenac, diflunisal, etodolac, flurbiprofen, ibuprofen, indomethacin, ketoprofen, ketorolac, meclofenamate, meloxicam, nabumetone, naproxen, oxaprozin, piroxicam, sulindac |
| | | Relafen DS | nabumetone |
| | Other | Sprix nasal spray | diclofenac, ibuprofen, meloxicam |
| | Topical | Diclofenac patch (M), Flector, Licart | Any preferred/generic oral non-steroidal anti-inflammatory agent (examples: diclofenac, flurbiprofen, ibuprofen, ketoprofen, meloxicam, naproxen) |
| | Combinations | Apadaz, Benzhydrocodone/acetaminophen | endocet, hydrocodone/acetaminophen, oxycodone/acetaminophen |
| | | Seglentis | celecoxib, tramadol |
| Opioid Analgesics | Oral Long-Acting | Conzip, Tramadol ER 100mg, 200mg, 300mg cap (M) | tramadol ER |
| | | Nucynta ER, Oxycodone ER (M) | hydrocodone bitartrate ER 24HR, hydromorphone HCl ER, morphine sulfate ER, oxymorphone HCl ER, Hysingla ER, OxyContin, Xtampza ER |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | | Formulary Alternative Medications |
|--|--|--|--|
| ANALGESICS | | | |
| Opioid Analgesics | Oral Short-Acting | Nucynta | codeine sulfate, hydromorphone HCl, morphine sulfate, oxycodone HCl, oxymorphone HCl |
| | | Qdolo, Tramadol solution (M) | tramadol tab |
| | | Roxybond | oxycodone IR |
| | Transmucosal Fentanyl Analgesics | Fentora, Fentanyl Citrate Buccal Tab (M) | fentanyl citrate lozenge |
| Skeletal Muscle Relaxants | Norgesic, Norgesic Forte, Orphengesic Forte (M) | | orphenadrine tab, aspirin |
| Spasticity | Baclofen solution, Lyvispah, Ozobax DS solution | | baclofen tab |
| ANTIANXIETY AGENTS | | | |
| Antianxiety Agents | Loreev XR | | clonazepam, diazepam, lorazepam, oxazepam, temazepam |
| ANTIBACTERIALS | | | |
| Oral Antibiotics | Doryx MPC, Doxycycline Hyclate DR 80mg, Minolira | doxycycline, minocycline | |
| | Likmez susp | metronidazole 250mg tab, 500mg tab | |
| | Nitrofurantoin susp 50mg/5ml | nitrofurantoin cap, susp 25mg/5ml, tab | |
| | Xifaxan 200mg tab | Please talk to your doctor about clinically appropriate options. | |
| Vaginal Anti-Infectives | Cleocin vaginal suppositories, Nuvessa gel | clindamycin vaginal cream, metronidazole vaginal gel, Clindesse cream, Xaciato | |
| ANTICONVULSANTS | | | |
| Seizure Disorders | Elepsia XR ¹ | levetiracetam ER | |
| | Eprontia ¹ | topiramate | |
| | Oxtellar XR ¹ | oxcarbazepine IR | |
| | Zonisade susp ¹ | zonisamide cap | |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. Continuation of Therapy will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of Therapy will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|--|---|--|
| ANTIDEPRESSANTS | | |
| Antidepressants | Auvelity ¹ | bupropion, citalopram tab, desvenlafaxine ER, duloxetine, escitalopram, fluoxetine, mirtazapine, paroxetine ER/IR, sertraline tab/sol, venlafaxine ER/IR |
| | Bupropion XL (M) ¹ , Forfivo XL ¹ | bupropion XL |
| | Citalopram cap 30mg ¹ | citalopram tab |
| | Sertraline cap ¹ | sertraline tab |
| | Venlafaxine ER 112.5mg ¹ | venlafaxine ER 37.5mg, 75mg, 150mg, 225mg |
| ANTIFUNGALS, ORAL | | |
| Oral Antifungals | Brexafemme, Vivjoa | fluconazole tab |
| | Tolsura | itraconazole cap |
| ANTIMIGRAINES | | |
| CGRP Antagonists | Emgality 120mg/ml | amitriptyline, atenolol, divalproex sodium, nadolol, propranolol, timolol, topiramate, venlafaxine, Aimovig, Ajovy |
| Ergotamine Derivative (alpha) | Trudhesa | dihydroergotamine |
| Non-Steroidal Anti-Inflammatory Agents | Elyxyb | eletriptan, frovatriptan, rizatriptan, sumatriptan, zolmitriptan |
| Serotonin Receptor Agonists | Onzetta Xsail, Tosymra, Zembrace Symtouch | rizatriptan ODT, sumatriptan injection, sumatriptan nasal spray, zolmitriptan ODT |
| | Reyow | Nurtec ODT, Ubrelvy, Zavzpret |
| ANTIPARKINSON AGENTS | | |
| Parkinson's Disease | Dhivy | carbidopa/levodopa IR, carbidopa/levodopa ODT |
| | Gocovri | amantadine |
| | Osmolex ER | amantadine, carbidopa-levodopa, rasagiline, pramipexole, ropinirole, selegiline |
| ANTIPSYCHOTICS | | |
| Atypical Antipsychotics | Lybalvi ¹ , Secuado ¹ | aripiprazole, asenapine, clozapine, olanzapine, paliperidone ER, quetiapine ER/IR, risperidone, ziprasidone |

¹(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|--|--|--|
| ANTIVIRALS | | |
| Hepatitis B drugs | Vemlidy ¹ | entecavir, tenofovir disoproxil fumarate |
| Hepatitis C drugs | Ledipasvir-Sofosbuvir (M), Sofosbuvir-Velpatasvir (M) | Epclusa, Harvoni, Mavyret, Vosevi |
| HIV Drugs | Apretude | emtricitabine/ tenofovir disoproxil fumarate |
| | Cabenuva ¹ , Descovy ² , Vocabria ¹ | Please talk to your doctor about clinically appropriate options. |
| AUTONOMIC & CENTRAL NERVOUS SYSTEM | | |
| Attention Deficit Disorder | Adzenys XR, Cotempla XR-ODT, Dyanavel XR chew tab/suspension, Quillichew ER, Quillivant XR, Xelstrym | amphetamine-dextroamphetamine IR/ER, dexmethylphenidate IR/ER, dextroamphetamine IR/ER, lisdexamfetamine, Azstarys, Jornay PM |
| | Qelbree | amphetamine IR/ER, atomoxetine, clonidine ER, guanfacine ER, methylphenidate IR/ER |
| Multiple Sclerosis | Extavia, Plegridy, Rebif, Rebif Rebidoze | Avonex, Betaseron |
| | Ponvory | dimethyl fumarate DR, fingolimod, glatopa, glatiramer, teriflunomide, Avonex, Bafiertam, Betaseron, Copaxone 40mg/ml, Kesimpta, Vumerity |
| | Tascenso ODT | fingolimod |
| CARDIOVASCULAR | | |
| Angina | Aspruzyo sprinkle | ranolazine |
| Cholesterol-Lowering Agents | Atorvaliq | atorvastatin |
| | Leqvio, Praluent | Repatha |
| | Zypitamag | atorvastatin, lovastatin, pitavastatin, pravastatin, rosuvastatin, simvastatin |
| Edema | Sooanz | bumetanide, furosemide, torsemide |
| Heart Failure | Furoscix | furosemide |
| | Inpefa | Farxiga, Jardiance |
| Hypertension | Conjupri, Levamlodipine (M), Katerzia | amlodipine |

¹(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|--|---|--|
| CARDIOVASCULAR | | |
| Hypertension | Inderal XL, Innopran XL | propranolol ER |
| | Kapspargo | metoprolol ER |
| | Valsartan oral sol (M) | candesartan, losartan, valsartan tab |
| Hypertrophic Cardiomyopathy (HCM) | Camzyos | Please talk to your doctor about clinically appropriate options. |
| CHEMOTHERAPY AGENTS | | |
| Alkylating Agents | Belrapzo, Bendamustine Sol (by Apotex), Bendamustine Sol (by Baxter), Vivimusta | generic bendamustine |
| Antiandrogens | Yonsa | Xtandi |
| Asparaginase Enzyme Therapy Agents | Rylaze | Oncaspar |
| Combination Agents | Inqovi | Please talk to your doctor about clinically appropriate options. |
| Cytolytic Antibodies | Riabni, Truxima | Ruxience |
| HER-2 Inhibitors | Herzuma, Ogviri, Ontruzant | Kanjinti, Phesgo, Trazimera |
| Isocitrate Dehydrogenase-1 Inhibitors (IDH1) | Rezlidhia | Tibsovo |
| Kinase Inhibitors | Fotivda | Please talk to your doctor about clinically appropriate options. |
| | Imbruvica 140mg, 280mg tab | Calquence; Imbruvica 70mg cap, 140mg cap; Imbruvica 420mg tab, 560mg tab; Imbruvica susp |
| | Ojjaara | Jakafi |
| | Pemazyre | Please talk to your doctor about clinically appropriate options. |
| | Rezurock | Imbruvica 70mg cap, 140mg cap; Imbruvica 420mg tab, 560mg tab; Imbruvica susp; Jakafi |
| | Tepmetko | Tabrecta |
| Methyltransferase Inhibitors | Xalkori | Please talk to your doctor about clinically appropriate options. |
| Methyltransferase Inhibitors | Tazverik | Please talk to your doctor about clinically appropriate options. |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|--|---|---|
| CHEMOTHERAPY AGENTS | | |
| Miscellaneous | Besremi | hydroxyurea, Pegasys |
| | Darzalex Faspro | Please talk to your doctor about clinically appropriate options. |
| PARP Inhibitors | Akeega, Talzenna | Lynparza |
| | Rubraca | Lynparza, Zejula |
| Vascular Endothelial Growth Factor Inhibitor | Alymsys, Vegzelma | Mvasi, Zirabev |
| CONTRACEPTIVES | | |
| Gel | Phexxi | Please talk to your doctor about clinically appropriate options. |
| Oral | Lo Loestrin FE | junel FE, larin FE, microgestin FE, tarina FE, Natazia |
| | Nextstelis | drospirenone/ethinyl estradiol, loryna, nikki |
| | Slynd | camila, incassia, nora-be, norethindrone, norlyda, norlyroc |
| Patch | Twirla | levonorgestrel/ethinyl estradiol combined generic oral contraceptive, xulane, zafemy |
| CORTICOSTEROIDS | | |
| Oral Steroids | Alkindi sprinkle, Cortisone tab 25mg | hydrocortisone |
| | Hemady | dexamethasone |
| | Rayos | prednisone |
| DERMATOLOGICAL AGENTS | | |
| Anti-Seborrheic Agents | Zoryve foam | betamethasone, ciclopirox, clobetasol, ketoconazole |
| Atopic Dermatitis | Opzelura | betamethasone, fluocinolone, halobetasol, hydrocortisone, pimecrolimus, tacrolimus oint, triamcinolone, Eucrisa |
| Facial Angiofibroma | Hyftor gel | Please talk to your doctor about clinically appropriate options. |
| Topical Acne Treatment | Arazlo, Fabior, Tazorac cream 0.05%, Tazarotene foam 0.1% | tazarotene cream, Aklief |
| | Cabtreo gel | adapalene, benzoyl peroxide, clindamycin topical, Epiduo Forte, Onexton, Twyneo |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|--|--|---|
| DERMATOLOGICAL AGENTS | | |
| Topical acne Treatment | Differin lotion | adapalene, tretinoin cream/gel, Retin-A micro gel 0.06% and 0.08% |
| | Winlevi | adapalene, clindamycin topical, dapsone, tazarotene cream, tretinoin cream |
| Topical Anesthetics | ZTlido | lidocaine patch |
| Topical Antifungals | Jublia | ciclopirox, terbinafine |
| Topical Anti-Infectives | Epsolay, Noritate | azelaic acid gel, ivermectin 1%, metronidazole cream/gel/lotion, Finacea foam, Soolantra, Zilxi |
| | Rhofade | brimonidine gel, Mirvaso |
| Topical Corticosteroids | Ala-Scalp lotion | hydrocortisone |
| | Apexicon E cream | fluocinonide, betamethasone |
| | Cordran tape | flurandrenolide |
| | Halog ointment | betamethasone, mometasone, triamcinolone |
| | Impoyz cream | clobetasol |
| | Pandel cream | flurandrenolide, hydrocortisone valerate, triamcinolone acetonide |
| Topical Plaque Psoriasis | Ultravate lotion | clobetasol propionate, fluocinonide, halobetasol propionate |
| | Calcipotriene foam 0.005% (M), Sorilux | calcipotriene |
| | Duobrii lotion | clobetasol, fluocinonide, halobetasol, tazorotene, Enstilar, Taclonex suspension, Wynzora |
| | Zoryve cream 0.3% | betamethasone, calcitriol, calcipotriene, clobetasol, pimecrolimus, tacrolimus, tazarotene, Enstilar, Taclonex suspension, Vtama, Wynzora |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|---|--|--|
| DIABETES | | |
| Anti-Hypoglycemic Agents | Glucagen Hypokit, Gvoke Hypopen, Gvoke Kit, Gvoke PFS | glucagon (generic), Baqsimi, Glucagon (made by Fresenius), Zegalogue |
| Blood Glucose Meters, Test Strips and Control Solutions | Examples: Abbott (FreeStyle, Precision), Arkray (Glucocard), Lifescan (Onetouch), Trividia (TRUEtest, TRUEtrack), Roche (Accu-Chek) | Ascencia (Contour, Contour Next) |
| Continuous Glucose Monitoring (CGM) | Eversense, Freestyle Libre | Dexcom |
| Blood Sugar Regulators Miscellaneous | metformin 625mg | metformin 500mg, 750mg, 850mg, 1000mg |
| | metformin HCl 24hr ER osmotic release, metformin HCl 24hr ER modified release | metformin ER |
| Dipeptidyl Peptidase-4 (DPP4) Inhibitors- Single Agent | Sitagliptin (M), Zituvio | Januvia, Tradjenta |
| Dipeptidyl Peptidase-4 (DPP4) Inhibitors- Combination Agents | Alogliptin, Alogliptin-metformin, Alogliptin-pioglitazone | Janumet, Janumet XR, Januvia, Jentadueto, Jentadueto XR, Tradjenta |
| Glucagon-Like Peptide-1 (GLP1) Agonists | Victoza | Bydureon BCise, Byetta, Mounjaro, Ozempic, Rybelsus, Trulicity |
| Long-Acting Insulins (Basal) | Insulin Degludec, Insulin Glargine, Insulin Glargine-YFGN, Levemir, Semglee, Semglee-YFGN, Tresiba | Basaglar, Lantus, Rezvoglar, Toujeo |
| Rapid-Acting Insulins | Insulin Aspart (M), Novolog Relion | Admelog, Apidra, Fiasp, Humalog, Insulin Lispro, Lyumjev, Novolog |
| Short-Acting Insulins | Novolin Relion | Humulin, Novolin |
| Sodium-Glucose Co-transporter (SGLT2) Inhibitors - Single Agent | Bexagliflozin (M), Brenzavvy, Dapagliflozin propanediol (M), Invokana, Steglatro | Farxiga, Jardiance |
| Sodium-Glucose Co-transporter (SGLT2) Inhibitors - Combination Agents | Dapagliflozin/metformin HCl (M), Invokamet, Invokamet XR, Segluromet | Synjardy, Synjardy XR, Xigduo XR |
| SGLT2 and DPP4 Combinations | QTERN, Steglujan | Glyxambi, Trijardy XR |
| Tempo Products | Basaglar Tempo | Basaglar Kwikpen |
| | Humalog Tempo | Humalog Kwikpen |
| | Lyumjev Tempo | Lyumjev Kwikpen |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|--|--|--|
| DIABETES | | |
| Tempo Products | Refill kit, Smart button, Welcome kit | Please talk to your doctor about clinically appropriate options. |
| Type 1 Diabetes | Tziel | Please talk to your doctor about clinically appropriate options. |
| ENDOCRINE (OTHER) | | |
| Cortisol Synthesis Inhibitors | Isturisa | ketoconazole tab, Korlym |
| Cushing's Syndrome | Recorlev | ketoconazole tab |
| Growth Hormones | Genotropin, Humatrop, Saizen, Zomacton | Norditropin, Omnitrope |
| | Sogroya | Ngenla, Norditropin, Omnitrope, Skytrofa |
| Infertility | Gonal-F, Gonal-F RFF | Follistim AQ |
| Somatostatin Analog | Lanreotide | Somatuline Depot |
| | Mycapssa | octreotide injection |
| | Signifor (SQ) | Signifor LAR |
| Testosterone Replacement | Aveed, Jatenzo, Natesto, Testopel, Tlando | testosterone cypionate, testosterone enanthate, testosterone gel, Androderm |
| | Xyoster | testosterone cypionate, testosterone enanthate |
| ENZYME DISORDERS | | |
| Duchenne Muscular Dystrophy (DMD) | Amondys 45, Exondys 51, Viltepso, Vyondys 53 | dexamethasone, methylprednisolone, prednisone |
| | Elevidys | Please talk to your doctor about clinically appropriate options. |
| GASTROINTESTINAL | | |
| Acid Blocker | Voquezna | dexlansoprazole, esomeprazole, lansoprazole, omeprazole, pantoprazole, rabeprazole |
| Anti-Diarrheal Agents | Motofen | diphenoxylate/atropine, loperamide |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|--|--|--|
| GASTROINTESTINAL | | |
| Antiemetics | Sancuso patch | granisetron solution/tablet, ondansetron ODT |
| Anti-Inflammatory, Anti-Ulcer Agents | ibuprofen/famotidine | famotidine, ibuprofen |
| Bowel Prep | Plenvu | gavilyte, peg 3350, Clenpiq, Suflave, Suprep |
| Inflammatory Bowel Disease | Dipentum | balsalazide, mesalamine DR cap 400mg, Apriso |
| | Pentasa | mesalamine 400mg DR cap, mesalamine 800mg DR tab, mesalamine 0.375gm ER cap, mesalamine 1.2gm tab, Apriso |
| Irritable Bowel Syndrome with Constipation/ Chronic Idiopathic Constipation (IBS-C/CIC) | Ibsrela, Trulance | lubiprostone, Linzess |
| Opioid-Induced Constipation (OIC) | Movantik, Relistor | lubiprostone, Symproic |
| Pancreatic Enzymes | Pancrease, Pertzye, Viokace | Creon, Zenpep |
| Proton Pump Inhibitors | omeprazole with sodium bicarbonate (cap, powder pak), Konvomep, Rabeprazole sprinkle cap (M) | dexlansoprazole, esomeprazole magnesium delayed release, lansoprazole, omeprazole, pantoprazole, rabeprazole |
| HEMATOLOGICAL | | |
| Anemia of Chronic Kidney Disease | Jesduvroq | Aranesp, Procrit, Retacrit |
| Coagulation Factors | Sevenfact ¹ | Novoseven |
| Cyclin-Dependent Kinase Inhibitor | Cosela | Nivestym, Zarxio |
| Erythropoiesis- Stimulating Agents | Epogen | Aranesp, Procrit, Retacrit |
| Long-Acting Granulocyte-Colony Stimulating Factor (G- CSFs) | Fulphila, Fylentra, Nyvepria, Rolvedon, Stimufend, Zixtenzo | Neulasta, Udenyca |
| Short-Acting Granulocyte-Colony Stimulating Factor (G- CSFs) | Granix, Neupogen, Releuko | Nivestym, Zarxio |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|--|---|--|
| IMMUNOMODULATORS | | |
| Calcineurin Inhibitor | Lupkynis | Benlysta |
| Folate Analog Metabolic Inhibitor | Otrexup | methotrexate, Rasuvo |
| Immune Globulin, Intravenous (IVIG) | Alyglo, Asceniv | Bivigam, Gammagard, Gammaplex, Gamunex-C, Panzyga, Privigen |
| Interleukin-17 (IL-17) Inhibitor | Bimzelx, Cosentyx | Taltz |
| Sphingosine 1-Phosphate Receptor Modulator (S1P) | Velsipity | Zeposia |
| TNF Inhibitor | Infliximab, Remicade, Renflexis | Avsola, Inflectra |
| TNF Inhibitors/ Humira Biosimilars | Abrialada, Adalimumab-aacf, Adalimumab-aayt, Adalimumab-adaz, Adalimumab-adbm, Adalimumab-fkjp, Adalimumab-ryvk, Cyltezo, Hadlima, Hulio, Humira, Hyrimoz, Idacio, Yuflyma, Yusimry | Amjevita for Amgen, Amjevita for Nuvaila |
| IMMUNOTHERAPY | | |
| Allergy Immunotherapy | Palforzia | Please talk to your doctor about clinically appropriate options. |
| OPHTHALMIC | | |
| Antiglaucoma Drugs | Iyuzeh, Vyzulta | latanoprost ophthalmic solution, tafluprost ophthalmic solution, travoprost ophthalmic solution, Lumigan |
| Antihistamines | Zerviate | azelastine ophthalmic solution, bepotastine ophthalmic solution, olopatadine ophthalmic solution |
| Demodex Blepharitis | Xdemvy | Please talk to your doctor about clinically appropriate options. |
| Dry eye Disease | Vevye | Restasis, Xiidra |
| Macular Degeneration | Beovu, Byooviz, Lucentis | Compounded Bevacizumab inj |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|---|-----------------------------|---|
| OPHTHALMIC | | |
| Non-Steroidal Anti-Inflammatory Agents | Ilevro, Nevanac | diclofenac ophthalmic solution, flurbiprofen sodium ophthalmic solution, ketorolac tromethamine ophthalmic solution |
| Presbyopia | Vuity | Please talk to your doctor about clinically appropriate options. |
| Vernal Keratoconjunctivitis | Verkazia | olopatadine, azelastine, cromolyn, dexamethasone sol/susp, prednisolone sol/susp, fluorometholone |
| OTHER | | |
| Activated Phosphoinositide 3-kinase Delta Syndrome (APDS) | Joenja | Please talk to your doctor about clinically appropriate options. |
| Alzheimer's Disease | Adlarity | donepezil, galantamine, rivastigmine |
| | Aduhelm, Leqembi | Please talk to your doctor about clinically appropriate options. |
| Amyotrophic Lateral Sclerosis (ALS) | Exservan | riluzole |
| ANCA-Associated Vasculitis | Tavneos | Please talk to your doctor about clinically appropriate options. |
| Antigout Agents | Allopurinol 200mg tab | allopurinol 100mg, 300mg tab |
| | Gloperba | colchicine tab |
| Antihistamines and Combinations | Clarinex-D | desloratadine, pseudoephedrine |
| Bile Acid Therapy | Livmarli | Please talk to your doctor about clinically appropriate options. |
| | Reltone, Ursodiol (M) | ursodiol |
| Cardiovascular Agents | Lodoco | colchicine tab |
| C-Difficile Infection | Vowst | Rebyota |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|---|--|--|
| OTHER | | |
| Chelating Agents | Cuvrior | penicillamine tab, trientine, Depen Titra |
| | penicillamine cap | penicillamine tab, Depen Titra |
| Diabetic Gastroparesis | Gimoti | metoclopramide |
| Fabry Disease | Elfabrio | Fabrazyme |
| Hereditary Angioedema | Cinryze | Haegarda, Orladeyo, Takhzyro |
| Hypokalemia | Pokonza | potassium chloride tab |
| Insomnia | Quviquiq | doxepin tab, eszopiclone, ramelteon, temazepam, triazolam, zaleplon, zolpidem ER/IR, Belsomra, Dayvigo |
| | Zolpidem 7.5mg cap | zolpidem 5mg, 10mg tab |
| Iron Replacement Therapy | Accrufer | ferrous fumarate, ferrous gluconate, ferrous sulfate |
| Lambert-Eaton Myasthenic Syndrome (LEMS) | Firdapse | Ruzurgi |
| Long-Chain Fatty Acid Oxidation Disorders (LC-FAOD) | Dojolvi | Please talk to your doctor about clinically appropriate options. |
| Menopause | Veozah | Please talk to your doctor about clinically appropriate options. |
| Multivitamins | Examples: Folic-K, Genicin Vita-S, Hylavite, Lorid, Tronvite, Xvite | Any preferred multivitamin |
| | Examples: Poly-Vi-Flor chewable, suspension; Poly-Vi-Flor w/Iron chewable, suspension | Any preferred multivitamin with fluoride |
| Nephropathy (IgA) | Tarpeyo | budesonide, methylprednisolone, prednisone |
| Obesity | Contrave | phentermine, Qsymia, Saxenda, Wegovy, Zepbound |
| | Imcivree | Please talk to your doctor about clinically appropriate options. |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|--|--|---|
| OTHER | | |
| Osteoarthritis/Hyaluronic Acid Injections | Gel-One, Genvisc, Hyalgan, Hymovis, Monovisc, Orthovisc, Supartz FX, Synjooint, Synvisc, Synvisc-One, Triluron, Trivisc, Visco-3 | Durolane, Euflexxa, Gelsyn-3 |
| Phenylketonuria (PKU) | Palynziq | sapropterin |
| Phosphate Lowering Agents | Velphoro, Xphozah | calcium acetate, calcium carbonate, sevelamer carbonate, sevelamer hydrochloride, Auryxia |
| PIK3CA-Related Overgrowth Spectrum (PROS) | Vijoice | Please talk to your doctor about clinically appropriate options. |
| Platelet-Modifying Agent | Yosprala | aspirin, omeprazole |
| Polycystic Kidney Disease | Jynarque | Please talk to your doctor about clinically appropriate options. |
| Prenatal Vitamins | Examples: Azesco, Pregenna, Prenate, Trinaz, Vitafol FE, Vitathely, Zalvit | Any preferred prenatal vitamin |
| Pulmonary Arterial Hypertension (PAH) | Tadliq | sildenafil susp, tadalafil tab |
| Rett Syndrome | Daybue | Please talk to your doctor about clinically appropriate options. |
| Sickle Cell Disease | Oxbryta | hydroxyurea |
| Sleep Disorder Agents | Hetlioz LQ | Please talk to your doctor about clinically appropriate options. |
| | Lumryz Pak, Sodium Oxybate (M) (by Amneal), Xyrem | Sodium oxybate (M) (by Hikma), Sunosi, Wakix, Xywav |
| Thyroid Agents | Ermeza, Levothyroxine caps (M), Thyquidity, Tirosint caps, solution | levothyroxine |
| RESPIRATORY | | |
| Allergy: Nasal Steroids | Xhance | flunisolide spray, mometasone furoate |
| COPD: Inhaled Anticholinergics | Incruse Ellipta, Tudorza | tiotropium bromide caps, Spiriva Respimat |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

| Therapeutic Category/ Disease State | Excluded Medications | Formulary Alternative Medications |
|--|--|---|
| RESPIRATORY | | |
| COPD: Long-Acting Beta Agonist/Long-Acting Muscarinic Agonist Combination Inhalers | Bevespi, Duaklir | Anoro Ellipta, Stiolto Respimat |
| Cystic Fibrosis | Cayston, Kitabis pak, Tobramycin neb 300mg/5ml (M) | tobramycin nebulizer soln, TOBI podhaler |
| Pulmonary Anti-Inflammatory Inhalers | Alvesco, Asmanex, Asmanex HFA, Fluticasone Propionate Aerosol (M), Fluticasone Propionate HFA (M), Pulmicort Flexhaler | Arnuity Ellipta, QVAR Redihaler |
| Pulmonary Anti-Inflammatory, Long-Acting Beta Agonist Combination Inhalers | Advair Diskus, AirDuo Respiclick, Dulera, Fluticasone Furoate/Vilanterol (M), Fluticasone/Salmeterol 55mcg/14, 113mcg/14, 232mcg/14 (M), Fluticasone/Salmeterol 45-21mcg, 115-21mcg, 230-21mcg (M) | Breyna, budesonide-formoterol, Advair HFA, Breo Ellipta |
| Short-Acting Beta-2 Adrenergic Inhalers | Albuterol HFA (brand alternative for Ventolin HFA made by Prasco) (M), Levalbuterol HFA Inhaler (M), Pro Air Respiclick, Ventolin HFA, Xopenex HFA | Any generic albuterol HFA inhaler (EXCEPTION: albuterol HFA made by Prasco) |
| Sugar Alcohol Inhalation Therapy | Bronchitol | hypertonic saline, Pulmozyme |
| UROLOGICAL | | |
| Erectile Dysfunction Oral Agents | Stendra | sildenafil |
| Interstitial Cystitis | Elmiron | amitriptyline, hydroxyzine |
| Overactive Bladder (OAB) | Gemtesa | darifenacin ER, fesoterodine, oxybutynin ER/IR, solifenacina, tolterodine ER/IR, trospium ER/IR, Myrbetriq tablet |
| | Myrbetriq granules, Vesicare LS | oxybutynin ER/IR |
| Urea Cycle Disorder (UCD) | Olpruva, Ravicti | sodium phenylbutyrate powder, Pheburane |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

Excluded brand-name medications with generic equivalents

The brand-name medications below are excluded on the formulary. These brand-name medications have been identified as having available generic equivalents covered at Tier 1 on the formulary. Speak with your pharmacist to have your excluded brand-name medication substituted with its generic equivalent.

A generic medication contains the same active ingredient(s) as a brand-name medication. An active ingredient is what makes the medication work. For example, Lipitor® and its generic both contain atorvastatin, which reduces the amount of bad cholesterol in the blood. Brand-name medications are often protected by a patent. When the patent ends, drug companies can apply to the U.S. Food and Drug Administration (FDA) to begin making generic versions of the medication.

| | | | | |
|---------------------------|-----------------------------|----------------------|---------------------------------|---------------------|
| Abilify | Copaxone 20mg | Kenalog spray | Prolensa | Topicort spray |
| Absorica | Coreg | Keppra | Prometrium | Toprol XL |
| Acanya | Coreg CR | Keppra XR | Propecia | Toviaz |
| Aciphex tablet | Cortef | Klonopin | Protonix tab | Tracleer 62.5,125mg |
| Aczone | Cosopt solution | K-tab | Proventil HFA | Travatan-Z |
| Adcirca | Cosopt PF solution | Kuvan | Provigil | Treanda |
| Adderall | Cozaar | Lamictal chewable | Prozac | Treximet |
| Adderall XR | Crestor | Lamictal starter kit | Pulmicort inhalation suspension | Tribenzor |
| Adipex-P | Cuprimine | Lamictal ODT | Qudexy XR | Tricor |
| Afinitor | Cymbalta | Lamictal tab | Questran | Tridacaine |
| Afinitor Disperz | Cytomel | Lamictal XR | Questren Lite | Trileptal |
| Alphagan P | Daytrana | Lasix | Relafen DS | Trokendi XR |
| Altace | Delestrogen injection | Latisse | Relpax | Truvada |
| Ambien | Delzicol | Latuda | Remodulin injection | Uceris tab |
| Ambien CR | Depakote | Lescol XL | Restoril | Vagifem |
| Amitiza | Depakote ER | Letairis | Retin-A | Valium |
| Ampyra | Depakote sprinkle cap | Lexapro | Retin-A micro gel | Valtrex |
| Amrix | Depo-testosterone injection | Lexette | 0.04%, 0.1% | Vectical |
| Androgel | Dexilant | Lialda | Revatio | Vesicare tab |
| Arimidex | Differin cream, gel | Lidocan | Risperdal solution, tablet | Viagra |
| Arthrotec | Dilantin cap 100mg | Lidoderm | Ritalin | Vigamox |
| Atacand | Dilantin chewable | Lipitor | Ritalin LA | Vimovo |
| Ativan | Dilantin suspension | Livalo | Roxicodone | Vimpat |
| Aubagio | Dilauidid | Loestrin 21 | Sabril | Vivelle-Dot |
| Avapro | Diovan | Loestrin FE | Safyral | Volgelxo |
| Avodart | Diovan HCT | Lotemax suspension | Sajazir | Vytorin |
| Azopt | Doryx tab 50, 200mg | Lotrel | Sandozatin injection | Welchol |
| Azor | Duexis | Lovaza | Saphris | Wellbutrin SR |
| Baraclude | Effexor XR | Lunesta | Sensipar | Wellbutrin XL |
| Benicar | Elidel | Lyrica | Seroquel | Xalatan |
| Benicar HCT | Emflaza | Lyrica CR | Seroquel XR | Xanax |
| Benzamycin | Epiduo gel | Maxalt | Silvadene | Xanax XR |
| Bepreve | EpiPen Jr 0.15mg | Maxalt-MLT | Singulair | Yasmin 28 |
| Bethkis | Esbriet | Metadate CD | Soma | Yaz |
| Beyaz | Estrace | Metrogel | Spiriva Handihaler | Zanaflex |
| Brovana | Evekeo | Micardis | Strattera | Zegerid |
| Buphenyl powder, tab | Exforge | Micardis HCT | Suboxone | Zenzedi |
| Butrans | Exforge HCT | Mitigare | Sutent | Zestril |
| Bystolic | Fioricet | Moviprep | Synthroid | Zetia |
| Cambia | Fioricet w/ codeine | MS Contin | Nalfon | Ziana |
| Canasa | Firazyr | Mydayis | Syprine | Zioptan |
| Carafate | Fleqsuvy | Nalfon | Tacionex ointment | Zipsor |
| Carbatrol | Flomax | Natroba | Tamiflu | Zocor |
| Cardizem LA | Focalin | Neurontin | Targadox | Zoloft |
| Carnitor solution, tablet | Focalin XR | Nexium capsule | Targretin | Zomig tab |
| Catapres-TTS patch | Forleo | Nitrostat | Tazorac cream 0.1% | Zomig ZMT |
| Celebrex | Gilenya 0.5mg | Norvasc | Tazorac gel 0.05%, 0.1% | Zonegran |
| Celexa | Gleevec | Nuvigil | Tecfidera | Zovirax |
| Cetrotide | Glucagon kit (Lilly) | Onfi | Tegretol | Zyclara 3.75% |
| Cialis | Glumetza | Onglyza | Tegretol-XR | Zyprexa |
| Clarinex 5mg tab | Golytely solution | Oracea | Tenormin | Zytiga |
| Cleocin vaginal cream | Halog cream | Paxil tab | Testim gel | |
| Climara patch | Hetlioz | Paxil CR | Tikosyn | |
| Clindagel | Hyzaar | Pennsaid | Timoptic | |
| Clobex | Imitrex | Percocet | Timoptic Ocudose | |
| Cloderm | Inderal LA | Plaquenil | TOBI nebulizer solution | |
| Colestid | Intuniv | Plavix | Topamax | |
| Combigan | Javygator | Pred Forte | Topamax sprinkle cap | |
| Concerta | Kenalog-40 Injection | Prevacid | | |
| | | Pristiq | | |

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.

Required Prior Authorization +

| Therapeutic Class | Non-Preferred Medications | Preferred Medications |
|--------------------------|---|--|
| Hepatitis C | All other brands non-preferred with prior authorization | Epclusa, Harvoni, Mavyret, Vosevi |
| Multiple Sclerosis | All other brands non-preferred with prior authorization | dalfampridine, dimethyl fumarate DR, fingolimod 0.5mg, glatopa, glatiramer, teriflunomide, Avonex, Bafiertam, Betaseron, Copaxone 40mg/ml, Kesimpta, Vumerity |
| Immunomodulators | All other brands non-preferred with prior authorization | Amjevita for Amgen, Amgevita for Nuvaila, Avsola, Cimzia, Enbrel, Inflectra, Omvoh, Otezla, Rinvoq, Rinvoq LQ, Simponi, Skyrizi, Sotyktu, Stelara, Taltz, Tremfya, Xeljanz, Xeljanz XR |

* All of the products listed above are currently subject to prior authorization. Preferred medications are required prior to new requests for non-preferred medication(s). Existing utilizers of non-preferred medication(s) within the therapeutic categories of Hepatitis C, Immunomodulators and Multiple Sclerosis will be eligible to remain on current therapy if compliance and efficacy of therapy are demonstrated. Exceptions will be granted for specific indications where the preferred agents do not have FDA-approval for use.

About this document: Where differences exist between this list and your benefit plan, the benefit plan documents rule. This is not a complete list of your covered medications. Please review your benefit plan documents for full details. Not all formulary alternatives listed in this document may be appropriate for your specific condition. Please talk to your doctor.



© 2024 Optum, Inc. All rights reserved. OR100-7555 All Optum® trademarks and logos are owned by Optum, Inc. All other brand or product names are trademarks or registered marks of their respective owners.

(M) Co-branded product

¹ Existing utilizers of these medications will be allowed to continue on therapy. **Continuation of Therapy** will not be provided for any other excluded drugs.

² Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. **Continuation of Therapy** will not be provided for any other excluded drugs.